



## *IXI-Call and PBX's*

### *In General*

**Every PBX, which (by the PBX itself or in form of a third party product) supports a suitable TSP for TAPI starting from version 2.1, is suitable for the application of IXI-Call.**

The following list will give you a survey of the manufacturer and systems, that offer a suitable connection for IXI-Call.  
\*\*\*

<i>Manufacturer</i>	<i>PBX Type Identification</i>	
<b>3COM</b>	NBX10	1
<b>Agfeo</b>	AC 14 Phonic	1
	AS 100IT	1
	AS 141 plus, AS 140 plus	1
	AS 191 plus, AS 190 plus	1
	AS 191, AS 190, AS 141, AS 140	1
	AS 34, AS 33, AS 32, AS 31 ST	1
	AS 1x/2x	1
	AS 40	1
	AS 4000	1
	AS 40P	1
<b>Alcatel</b>	OmniPCX Office	1, 2, 3
	OmniPCX Enterprise / 4400	1, 2, 3
<b>ARtem</b>	E 2440 professional	1
<b>Ascom</b>	Ascotel 2020	1
	Ascotel 2030	1
	Ascotel 2050	1
	Ascotel 2060	1
<b>Aspect</b>	Aspect (V6)	2
<b>Auerswald</b>	COMmander Basic	1
	COMmander Guard	1
	ETS-2104 I	1
	ETS-2106 I (Rev.2)	1
	ETS-2204 I	1
	ETS-2116 I	1
	ETS-4308 I	1
	ETS-4216 I	1
Compact 2104/2206 USB/4410 USB	1	
<b>Avaya</b>	IP403 Office	1
	Definity	2
<b>Bosch Telecom</b>	Integral 33x	2
	Integral 33xe	2
<b>Cisco</b>	CallManager	1
<b>Comdial</b>	DXP	2
	DXP Plus	2
<b>Datavoice</b>	Dharma	2
<b>Delco</b>	ACD	2

#### Explanation:

- 1 TSP for TAPI from version 2.0 on provided by the PBX itself or is available at the PBX manufacturer.
- 2 CSTA-Support by the PBX. Translation of CSTA on TSP for TAPI 2.0 in the form of a third party product is available, e.g. CT Connect
- 3 serVonic IXI-Call CSTA TSP available



## IXI-Call and PBX's

<b>DeTeWe</b>	GDX/Varix 840	1
	OpenCom 100	1
	OpenCom 1000/1010	1
	Varix 14	1
	Varix 200	1
<b>EADS Telecom</b>	M6501 C	1
	M6501 IP	1
	M6540 IP	1
	M6550 IP	1
<b>ECI Telecom</b>		2
<b>Elmeg</b>	C46xe/xe-rack	1
	C48.net	1
	D@VOS-24/44	1
	D@VOS-24/44.net	1
	D@VOS-44.dsl	1
	D@VOS-Top	1
	C24 / C44	1
	C24plus / C44k	1
	C28 / C48	1
	C46e	1
	C48m / C88m	1
	C68 / C88	1
	ICT46	1
	ICT88	1
ICT880	1	
<b>eON Communications</b>		2
<b>Ericsson</b>	Businessphone 50/250	1
	ACP1000	2
	MD1100	2
<b>Euracom</b>	140 USB	1
	141, 141F, 180, 180F, 181, 181F, 182, 182F	1
	260, 260F, 261F, 262, 262F	1
<b>GESKO</b>	family 104/108, 115	1
	office 206/209, 1106, 2108	1
<b>Huawei</b>	C&C08Q	2
<b>innovaphone</b>	innovaphone PBX	1
<b>Intecom</b>		2
<b>LGIC</b>	Starex-ACS	2
<b>Matracom</b>	Matracom 7500	2
<b>Mitel Corp.</b>	Mitel SX-2000	2
<b>Nitsuko/NEC</b>	288	1
	DX500	1

Explanation:

- 1 TSP for TAPI from version 2.0 on provided by the PBX itself or is available at the PBX manufacturer.
- 2 CSTA-Support by the PBX. Translation of CSTA on TSP for TAPI 2.0 in the form of a third party product is available, e.g. CT Connect
- 3 serVonic IXI-Call CSTA TSP available

